

UNCLASSIFIED



# **Guide to Schematron Rules and Patterns**

---

## **ARH Schematron Guide**

### **Version 1**

Date of Draft Release: 21 August 2012

17 July 2012

This document has been approved for Public Release by the Office of the Director of National Intelligence. See 'Distribution Notice' for details.

UNCLASSIFIED

UNCLASSIFIED

Distribution Notice:

This document has been approved for Public Release and is available for use without restriction.

This document has been approved for Public Release by the Office of the Director of  
National Intelligence. See 'Distribution Notice' for details.

UNCLASSIFIED

## Table of Contents

|  |   |
|--|---|
| Chapter 1 - Introduction .....                           | 1 |
| 1.1 - Purpose .....                                      | 1 |
| Chapter 2 - Rules .....                                  | 2 |
| 2.1 - ../Rules/generalConstraints/ARH_ID_00001.sch ..... | 3 |
| 2.2 - ../Rules/generalConstraints/ARH_ID_00002.sch ..... | 4 |
| 2.3 - ../Rules/generalConstraints/ARH_ID_00003.sch ..... | 5 |
| Chapter 3 - Abstract Patterns .....                      | 6 |
| Chapter 4 - Schematron Schema .....                      | 7 |
| 4.1 - ../ARH_XML.sch .....                               | 8 |
| Chapter 5 - Removed Rules .....                          | 9 |

## Chapter 1 - Introduction

### 1.1 - Purpose

(U) The following documentation is informative. The actual Schematron files are the normative record. This documentation is generated from the Schematron files via XSLT it may be missing some file or pieces of a file but whatever is here other than titles came from the original file.

(U) It is envisioned that this will be a useful resource to search and read but for questions and debates the source files should be consulted.

(U) Rules identifiers are all of the format ARH-ID-XXXXX, with rule files named ARH\_ID\_XXXXX.sch. Any other heading indicates a supporting file that may strongly influence a rule but is not actually a numbered rule.

## Chapter 2 - Rules

All of the numbered Rules for ARH are listed in this section. These rules may depend strongly on patterns defined in the Abstract Patterns section or on variables defined in the Schematron Schema section.

## 2.1 - ../Rules/generalConstraints/ARH\_ID\_00001.sch

Rule Description: ARH-ID-00001 [ARH-ID-00001][Error] The ARH elemnts cannot be used as root elements. Human Readable: ARH is not designed to stand-alone and therefore should never be used as a root element.

Code Description: we make sure that ARH:Security or ARH:ExternalSecurity are not used as the root element.

Schematron Code:

```
<?ICEA pattern?><!-- Notices - Distribution Notice:
    This document has been approved for Public Release and is
    available for use without restriction.
-->
<sch:pattern id="ARH-ID-00001">

    <sch:rule context="/arh:*>
        <sch:assert test="false()" flag="error">
            [ARH-ID-00001][Error] The ARH elemnts cannot be used as root
elements.

            Human Readable: ARH is not designed to stand-alone and therefore
should never
            be used as a root element.
        </sch:assert>
    </sch:rule>
</sch:pattern>
```

## 2.2 - ../Rules/generalConstraints/ARH\_ID\_00002.sch

Rule Description: ARH-ID-00002 [ARH-ID-00002][Error] The attribute DESVersion in the namespace urn:us:gov:ic:arh must be specified. Human Readable: The data encoding specification version number must be specified.

Code Description: Make sure that the attribute arh:DESVersion is specified.

Schematron Code:

```
<?ICEA pattern?><!-- Notices - Distribution Notice:
    This document has been approved for Public Release and is
    available for use without restriction.
-->
<sch:pattern id="ARH-ID-00002">

    <sch:rule context="/">
        <sch:assert test="some $element in descendant-or-
self::node() satisfies $element/@arh:DESVersion"
                    flag="error">
            [ARH-ID-00002][Error] The attribute
            DESVersion in the namespace urn:us:gov:ic:arh must be specified.

            Human Readable: The data encoding specification version must
            be specified.
        </sch:assert>
    </sch:rule>
</sch:pattern>
```

## 2.3 - ../Rules/generalConstraints/ARH\_ID\_00003.sch

Rule Description: ARH-ID-00003 [ARH-ID-00003][Error] Every attribute in the ARH namespace must be specified with a non-whitespace value.

Code Description: For each element which specifies an attribute in the ARH namespace, we make sure that all attributes in the ARH namespace contain a non-whitespace value.

Schematron Code:

```
<?ICEA pattern?><!-- Notices - Distribution Notice:
    This document has been approved for Public Release and is
    available for use without restriction.
-->
<sch:pattern id="ARH-ID-00003">

    <sch:rule context="*[@arh:*]">
        <sch:assert test="every $attribute in @arh:*
satisfies          string-length(normalize-space(string($attribute))) >
0"
                                flag="error">
        [ARH-ID-00003][Error] Every ARH attribute in the document must be
specified with a non-whitespace value.
    </sch:assert>
    </sch:rule>
</sch:pattern>
```



## **Chapter 3 - Abstract Patterns**

All of the Abstract Patterns for ARH are listed in this section. These patterns may depend strongly on variables defined in the Schematron Schema section.

## **Chapter 4 - Schematron Schema**

The top level Schematron file for ARH is in this section. This file imports all of the others and also defines many global variables they are all dependent on.

## 4.1 - ./ARH\_XML.sch

Rule Description:

Code Description:

Schematron Code:

```
<?ICEA master?><!-- Notices - Distribution Notice:
    This document is being made available by the Intelligence
Community Chief Information Officer
    to Federal, State, Local, Tribal, and Foreign Partners and
associated contractors. Approval for
    any further distribution must be coordinated via the Intelligence
Community Chief Information
    Officer, Mission Engagement Division at standardssupport@dni.gov--
>
<sch:schema queryBinding="xslt2">
    <sch:ns uri="urn:us:gov:ic:pubs" prefix="pubs"/>
    <sch:ns uri="urn:us:gov:ic:cve" prefix="cve"/>
    <sch:ns uri="http://www.w3.org/1999/xlink" prefix="xlink"/>
    <sch:ns uri="urn:us:gov:ic:ism" prefix="ism"/>
    <sch:ns uri="urn:us:gov:ic:ntk" prefix="ntk"/>
    <sch:ns uri="urn:us:gov:ic:arh" prefix="arh"/>
    <sch:ns uri="http://www.w3.org/2001/XMLSchema" prefix="xs"/>

    <!--*****-->
<!-- (U) ARH ID Rules -->
<!--*****-->

<!--(U) generalConstraints-->
    <sch:include href="./Rules/generalConstraints/ARH_ID_00001.sch"/>
    <sch:include href="./Rules/generalConstraints/
ARH_ID_00002.sch"/>
    <sch:include href="./Rules/generalConstraints/
ARH_ID_00003.sch"/>
</sch:schema>
```

## Chapter 5 - Removed Rules

All of the numbered Rules for ARH that have been removed are listed in this section. This section is just a reference for what rule numbers have been dropped. In many but not all cases there will be a reason listed. In all cases the version that the rule was dropped in is listed.